## Enagic HK Co., Ltd.

Declaration about Material for 1L / 650ml / 350ml Enagic Bottle

- The bottles are made of "PCTG";
- "PCTG" is BPA Free material;
- "PCTG" is popular for re-usage bottle which include well-known brand such as Columbia, Nike, Camelbak and Nalgene bottles.
- "PCTG" had applied exemption & approved by FDA with document named <u>FCN1041</u>.

About Recycle Category - Code / Symbol "7" on the bottle:

- Classification for used bottles (Recycle purpose);
- Recycle Code "7" representing "Others".
   Which means if Plastic does not belong to Category 1 to 6, it will classified as "7"
- Pls. refer attachment about Category 1 to 7;

Remark:

Material "PCTG" & Material "PC" (Polycarbonate) are both under same Recycle code "7".

<u>"PCTG" is BPA Free material</u>, but 'PC" is not BPA Free.





## **Plastic Packaging Resins**

| Resin<br>Codes | Descriptions  | Properties  | Product Applications   | Products Made with<br>Recycled Content*  |
|----------------|---|---|--|--|
| PET            | <b>Polyethylene Terephthalate (PET, PETE).</b><br>PET is clear, tough, and has good gas and<br>moisture barrier properties. This resin is<br>commonly used in beverage bottles and<br>many injection-molded consumer product<br>containers. Cleaned, recycled PET flakes and<br>pellets are in great demand for spinning fiber<br>for carpet yarns, producing fiberfill and geo-<br>textiles. Nickname: Polyester.  | <ul> <li>Clear and optically<br/>smooth surfaces for<br/>oriented films and<br/>bottles</li> <li>Excellent barrier to<br/>oxygen, water, and<br/>carbon dioxide</li> <li>High impact<br/>capability and shatter<br/>resistance</li> <li>Excellent resistance to<br/>most solvents</li> <li>Capability for hot-<br/>filling</li> </ul> | <ul> <li>Plastic bottles for soft drinks, water, juice, sports drinks, beer, mouthwash, catsup and salad dressing.</li> <li>Food jars for peanut butter, jelly, jam and pickles.</li> <li>Ovenable film and microwavable food trays.</li> <li>In addition to packaging, PET's major uses are textiles, monofilament, carpet, strapping, films, and engineering moldings.</li> </ul>                  | Fiber for carpet, fleece jackets,<br>comforter fill, and tote bags.<br>Containers for food, beverages<br>(bottles), and non-food items.<br>Film and sheet.<br>Strapping.   |
| HDPE           | High Density Polyethylene (HDPE).<br>HDPE is used to make many types of bottles.<br>Unpigmented bottles are translucent, have<br>good barrier properties and stiffness, and are<br>well suited to packaging products with a<br>short shelf life such as milk. Because HDPE<br>has good chemical resistance, it is used for<br>packaging many household and industrial<br>chemicals such as detergents and bleach.<br>Pigmented HDPE bottles have better stress<br>crack resistance than unpigmented HDPE. | <ul> <li>Excellent resistance to most solvents</li> <li>Higher tensile strength compared to other forms of polyethylene</li> <li>Relatively stiff material with useful temperature capabilities</li> </ul>  | Bottles for milk, water, juice, cosmetics,<br>shampoo, dish and laundry detergents,<br>and household cleaners.<br>Bags for groceries and retail purchases.<br>Cereal box liners.<br>Reusable shipping containers.<br>In addition to packaging, HDPE's major<br>uses are in injection molding<br>applications, extruded pipe and conduit,<br>plastic wood composites, and wire and<br>cable covering. | Bottles for non-food items, such as<br>shampoo, conditioner, liquid<br>laundry detergent, household<br>cleaners, motor oil and antifreeze.<br>Plastic lumber for outdoor decking,<br>fencing and picnic tables.<br>Pipe, floor tiles, buckets, crates,<br>flower pots, garden edging, film and<br>sheet, and recycling bins. |

|                |  |  |  | 2   |
|----------------|--|--|--|---|
| Resin<br>Codes | Descriptions   | Properties   | Product Applications   | Products Made with<br>Recycled Content*   |
| PVC            | <b>Polyvinyl Chloride (PVC, Vinyl).</b><br>In addition to its stable physical properties,<br>PVC has good chemical resistance,<br>weatherability, flow characteristics and<br>stable electrical properties. The diverse slate<br>of vinyl products can be broadly divided into<br>rigid and flexible materials.  | <ul> <li>High impact strength,<br/>brilliant clarity,<br/>excellent processing<br/>performance</li> <li>Resistance to grease,<br/>oil and chemicals</li> </ul>   | Rigid packaging applications include<br>blister packs and clamshells.<br>Flexible packaging uses include bags for<br>bedding and medical, shrink wrap, deli<br>and meet wrap and tamper resistance.<br>In addition to packaging, PVC's major<br>uses are rigid applications such as pipe,<br>siding, window frames, fencing, decking<br>and railing. Flexible applications<br>include medical products such as blood<br>bags and medical tubing, wire and cable<br>insulation, carpet backing, and flooring.   | Pipe, decking, fencing, paneling,<br>gutters, carpet backing, floor tiles<br>and mats, resilient flooring, mud<br>flaps, cassette trays, electrical<br>boxes, cables, traffic cones, garden<br>hose, and mobile home skirting.<br>Packaging, film and sheet, and<br>loose-leaf binders. |
| LDPE           | Low Density Polyethylene (LDPE).LDPE is used predominately in film<br>applications due to its toughness, flexibility<br>and relative transparency, making it popular<br>for use in applications where heat sealing is<br>necessary. LDPE also is used to manufacture<br>some flexible lids and bottles as well as in<br>wire and cable applications.Includes Linear Low Density Polyethylene<br>(LLDPE). | <ul> <li>Excellent resistance to acids, bases and vegetable oils</li> <li>Toughness, flexibility and relative transparency (good combination of properties for packaging applications requiring heat-sealing)</li> </ul> | <ul> <li>Bags for dry cleaning, newspapers,<br/>bread, frozen foods, fresh produce, and<br/>household garbage.</li> <li>Shrink wrap and stretch film.</li> <li>Coatings for paper milk cartons and hot<br/>and cold beverage cups.</li> <li>Container lids.</li> <li>Toys.</li> <li>Squeezable bottles (e.g., honey and<br/>mustard).</li> <li>In addition to packaging, LDPE's major<br/>uses are in injection molding<br/>applications, adhesives and sealants, and<br/>wire and cable coverings.</li> </ul> | Shipping envelopes, garbage can<br>liners, floor tile, paneling, furniture,<br>film and sheet, compost bins, trash<br>cans, landscape timber, and outdoor<br>lumber.  |
| 25<br>PP       | <b>Polypropylene (PP).</b><br>PP has good chemical resistance, is strong, and has a high melting point making it good for hot-fill liquids. This resin is found in flexible and rigid packaging, fibers, and large molded parts for automotive and consumer products.  | <ul> <li>Excellent optical<br/>clarity in biaxially<br/>oriented films and<br/>stretch blow molded<br/>containers</li> <li>Low moisture vapor<br/>transmission</li> <li>Inertness toward</li> </ul>                      | Containers for yogurt, margarine,<br>takeout meals, and deli foods.<br>Medicine bottles.<br>Bottle caps and closures.<br>Bottles for catsup and syrup.<br>In addition to packaging, PP's major<br>uses are in fibers, appliances and   | Automobile applications, such as<br>battery cases, signal lights, battery<br>cables, brooms and brushes, ice<br>scrapers, oil funnels, and bicycle<br>racks.<br>Garden rakes, storage bins, shipping<br>pallets, sheeting, trays.   |

| Resin<br>Codes | Descriptions   | Properties   | Product Applications  | Products Made with<br>Recycled Content*  |
|----------------|--|--|---|--|
|                |  | acids, alkalis and most solvents   | consumer products, including durable applications such as automotive and carpeting.   |  |
| PS             | <ul> <li>Polystyrene (PS).</li> <li>PS is a versatile plastic that can be rigid or foamed. General purpose polystyrene is clear, hard and brittle. It has a relatively low melting point. Typical applications include protective packaging, foodservice packaging, bottles, and food containers.</li> <li>PS is often combined with rubber to make high impact polystyrene (HIPS) which is used for packaging and durable applications requiring toughness, but not clarity.</li> </ul> | <ul> <li>Excellent moisture<br/>barrier for short shelf<br/>life products</li> <li>Excellent optical<br/>clarity in general<br/>purpose form</li> <li>Significant stiffness in<br/>both foamed and rigid<br/>forms.</li> <li>Low density and high<br/>stiffness in foamed<br/>applications</li> <li>Low thermal<br/>conductivity and<br/>excellent insulation<br/>properties in foamed<br/>form</li> </ul> | Food service items, such as cups, plates,<br>bowls, cutlery, hinged takeout<br>containers (clamshells), meat and<br>poultry trays, and rigid food containers<br>(e.g., yogurt). These items may be made<br>with foamed or non-foamed PS.<br>Protective foam packaging for furniture,<br>electronics and other delicate items.<br>Packing peanuts, known as "loose fill."<br>Compact disc cases and aspirin bottles.<br>In addition to packaging, PS's major<br>uses are in agricultural trays, electronic<br>housings, cable spools, building<br>insulation, video cassette cartridges, coat<br>hangers, and medical products and toys. | Thermal insulation, thermometers,<br>light switch plates, vents, desk trays,<br>rulers, and license plate frames.<br>Cameras or video cassette casings.<br>Foamed foodservice applications,<br>such as egg shell cartons.<br>Plastic mouldings (i.e., wood<br>replacement products).<br>Expandable polystyrene (EPS) foam<br>protective packaging. |
| OTHER          | <b>Other.</b> Use of this code indicates that a package is made with a resin other than the six listed above, or is made of more than one resin and used in a multi-layer combination.   | Dependent on resin or<br>combination of resins   | Three- and five-gallon reusable water<br>bottles, some citrus juice and catsup<br>bottles.<br>Oven-baking bags, barrier layers, and<br>custom packaging.  | Bottles and plastic lumber<br>applications.  |

## \*Recycling may not be available in all areas. Check to see if plastics recycling is available in your community.

THE AMERICAN CHEMISTRY COUNCIL (ACC) MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED HEREIN INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ACC SHALL NOT BE RESPONSIBLE FOR ANY DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES, DAMAGES FROM LOSS OF USE OR PROFITS, OR COST OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, IN CONTRACT, TORT OR OTHERWISE ARISING OUT OF OR IN CONNECTION WITH THE INFORMATION CONTAINED HEREIN.

American Chemistry Council, Plastics Division Last Updated: March 2007

3